PublisherInfo				
PublisherName	:	BioMed Central		
PublisherLocation		London		
PublisherImprintName	:	BioMed Central		

JNK and obesity

ArticleInfo		
ArticleID	:	4640
ArticleDOI	:	10.1186/gb-spotlight-20021121-01
ArticleCitationID	:	spotlight-20021121-01
ArticleSequenceNumber	:	306
ArticleCategory	÷	Research news
ArticleFirstPage	:	1
ArticleLastPage	:	2
ArticleHistory	:	RegistrationDate: 2002–11–21OnlineDate: 2002–11–21
ArticleCopyright	:	BioMed Central Ltd2002
ArticleGrants	:	
ArticleContext	:	130593311

The molecular links between obesity, insulin resistance and type 2 diabetes mellitus have been poorly understood. In the November 21 Nature, Jiro Hirosumi and colleagues describe a role for the c-Jun amino-terminal kinases (JNKs) in obesity (*Nature*, **420**:333-336, November 21, 2002). JNK activity was elevated in both genetic and dietary murine models of obesity. Analysis of knockout mice showed that the *jnk1* gene (but not the *jnk2* gene) was essential for diet-induced obesity. The *jnk1* knockout mice displayed reduced adipocyte size, decreased adiposity and adipose redistribution. The JNK1-deficiency also protected from obesity-induced insulin resistance, even when crossed with leptin-deficient obese mice.

References

- 1. Insulin signaling and the regulation of glucose and lipid metabolism.
- 2. Nature., [http://www.nature.com]
- 3. Quick guide. Jnk.