

PublisherInfo		
PublisherName	:	BioMed Central
PublisherLocation	:	London
PublisherImprintName	:	BioMed Central

Defining relevance

ArticleInfo		
ArticleID	:	3803
ArticleDOI	:	10.1186/gb-spotlight-20001018-03
ArticleCitationID	:	spotlight-20001018-03
ArticleSequenceNumber	:	240
ArticleCategory	:	Research news
ArticleFirstPage	:	1
ArticleLastPage	:	2
ArticleHistory	:	RegistrationDate : 2000-10-18 OnlineDate : 2000-10-18
ArticleCopyright	:	BioMed Central Ltd2000
ArticleGrants	:	
ArticleContext	:	130591111

William Wells

Email: wells@biotext.com

In the October 24 [Proceedings of the National Academy of Sciences](#) Butte *et al.* propose that relevance networks could provide a better way of analyzing genomic information than phylogenetic trees (*Proc Natl Acad Sci USA* 2000, **97**, published online ahead of print). [Phylogenetic trees](#) derived from array experiments can only link a gene to one other gene, typically the one that is most strongly correlated in its expression pattern. In contrast, the method presented by Butte *et al.* can group any number of genes in associations of varying strength, can identify negative correlations, and can group disparate types of biological measurements (in this case, gene expression levels and susceptibility to cancer drugs). Butte *et al.* analyze the baseline expression level of 7,245 genes in the National Cancer Institute's [standard collection](#) of 60 human cancer cell lines. They correlate these measurements with the inhibition of growth of the same cell lines in response to 5,084 different anticancer agents. The [results](#) include clusters of drugs with similar modes of action, clusters of genes with similar functions, and the grouping of one drug with the gene for a tumor-associated actin-binding protein. Spurious associations are eliminated by repeated random permutation testing to define the upper threshold for chance observations.

References

1. *Proceedings of the National Academy of Sciences*, [<http://www.pnas.org/>]
2. Cluster analysis and display of genome-wide expression patterns.
3. An information-intensive approach to the molecular pharmacology of cancer.
4. Supplementary Material for Manuscripts, [<http://www.chip.org/genomics>]